

03560.001975

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Gregory V. Madden
ATSUSHI OHTANI ET AL.)	
	:	Art Unit: 2622
Appln. No.: 08/878,581)	
	:	
Filed: June 19, 1997)	
	:	
For: IMAGE SENSING APPARATUS AND)	
METHOD	:	
)	
U.S. Patent No.: 7,071,979 B1	:	
)	
Issued: July 4, 2006	:	November 30, 2006

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Please charge the requisite fee of \$100.00 to Deposit Account 50-3939 for such Certificate of Correction.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/John A. Krause/
John A. Krause
Attorney for Patentees
Registration No. 24,613

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200
605241v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,071,979 B1

DATED : July 4, 2006

INVENTOR(S) : ATSUSHI OHTANI ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 7, "an" should be deleted; and
Line 24, "used" should read --is used--.

COLUMN 9

Line 53, "is" should read --are--.

COLUMN 10

Line 57, "in" should be deleted.

COLUMN 12

Line 63, "(step steps" should read --(steps--.

COLUMN 13

Line 44, "said said" should read --said--.

COLUMN 16

Line 20, "first second period" should read --first and second periods--;
Line 39, "illuminating" should read --illuminated--;
Line 44, "period;" should read --periods--; and
Line 65, "a third" should read --and a third--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,071,979 B1

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

605124v1



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,071,979 B1

DATED : July 4, 2006

INVENTOR(S) : ATSUSHI OHTANI ET AL.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 17

Line 8, "period" should read --periods--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 7,071,979 B1

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

605124v1

